

<https://mihana-v.co.jp/>

代理店

2026.02.000(H)



MIHANA SAFETY VALVES

製品カタログ

安全弁の技術的特徴

Rigid body design of the peace of mind in the improved flange structure

当社の安全弁には前漏れが全く有りません。
当社独自で開発した特殊技術により、
前漏れ無しの『吹始め・吹出し同時』という現象を
当ミハナ製作所が世界に先駆け成し遂げたのです。

Our Safety Valve allows no front-leakage thanks
to the special technique developed by us.
How the equipment is affected by the front-leakage is described
in the following section.
The phenomenon of Initial Bleeding and Blowdown occurring
simultaneously is what all the Safety Valve makers
have been trying to achieve and troubled by not being able to do so.<

改良型フランジ構造で 安心の剛体設計

Rigid body design of the peace of mind in the Improved Flange Structure

安全弁が作動すればその反動を、
一番弱い部分に受けます（一次側フランジネック部分）
当社の安全弁はそのネック部分が無く、剛体設計されているため
反動力で破壊する心配は無く、
より高圧にも対応できる設計になっております。

If the safety valve is actuated, the reaction force
is received by its weakest point (the neck of the primary flange).
Our safety valve does not have such a neck and is designed
to be rigid so there is no need to worry about it

製品案内一覧 PRODUCTS LINE UP

	カテゴリ① Category	カテゴリ② Category	材質 Material	適用流体 Fluid			取付 Fitting ※1		型式 Type	頁 Page
				気体 Gas	蒸気 Steam	液体 Liquid	ネジ込 Screwed type	フランジ Flange type		

全量式

フランジシリーズ



SA100

ロストワックス製法
※100Aまでのサイズ

フランジ全量式安全弁

その他

ラインナップ

その他ラインナップ OTHER PRODUCTS LINEUP

ソフトシート(ネジ込)

SC120
→P33SD120
→P34

